

PURION POOL 20

...is characterized by compact construction and a high degree of efficiency respecting to disinfection and energy consumption. The construction design follows laws, standards and regulations.



picture: PURION POOL 20

The integrated plant PURION POOL 20 consists of a filtration of sediments and UV based disinfection of pool water. It is applied to disinfect circulation water of pools.

The upstream filter unit with "top mount" 6-port valve consists of a Polyethylene filter tank (filled with activated filter granulate -special quartz) and a rotary pump. The pre filter removes sediment from the pool water. The following UV based disinfection prevents biological activities - especially forming of algae.

In comparison to traditional chemical based treatment of the pool water it is possible to save up to 95% of the used chemicals. The UV plant can be optionally equipped with an Operating Time Counter (OTC) to monitor the service life of the PURION UV lamps.

The used UV-lamps are characterized by a long durability and a high degree of efficiency respecting to disinfection and energy consumption.

The compact construction design enables an easy replacement of the UV lamp at the end of their service life. You don't need any tool.

| manufacturer | PURION® GmbH |
|--|---|
| type | PURION POOL 20 |
| pool dimension | 20 m³ (15 h operation) 13 m³ (9 h operation) |
| dimension L x W x H in mm | 550 x 410 x 720 |
| weight (with filling of the filter tank) | 25 kg |
| UV plant | PURION 1000 |
| life time of lamps | 10.000 h |
| monitoring option | OTC |
| temperature of water | 5 - 35 C° |
| max. delivery rate rotary pump | 4,5 m³/h |
| max. working pressure | 1,5 bar |
| quantity special quartz | 25 kg |
| material filter tank | Polyethylene |
| valve filter tank | top mount 6 port valve |
| connection inlet | inlet: nozzle staged D32/38 outlet: nozzle 26 |
| filter medium | AFM active |
| electrical connection | 230 V |
| protective system | IP 54 |
| over current protection | 10 A |
| | |

Advantages

- plug and play system for immediate operation
- up to 95% reduction of chemicals compared to chemical treatment oft he water
- considerable cost cutting due to less cost for chemicals
- suitable for salt water application
- manageable maintenance
- small operation expenses

